

TK MODULAR PARTITION SYSTEM

# TKU HINGED DOOR DOUBLE-LEAF

All-glass double-leaf door with an aluminium frame



WIDTH (W)\*

---

M7 (690 mm) - M10 (990 mm)  
+ M3 (300 mm) – M9 (900 mm)

DOOR LEAF

---

Karastatud klaas 8 - 12 mm

HEIGHT (H)\*

---

M21 (2090 mm) – M24 (2390 mm)

NOTES

---

The maximum width/height of the door depends on the thickness of the glass, see table

CONDITIONS FOR INSTALLATION OPENING'S MEASUREMENTS

---

Opening height (H) = product size +10mm  
Deviation tolerance = +5...-4

Opening Width (L) = product size +20mm  
Deviation tolerance = +10...-8

NB! The largest allowed deviation of the horizontal and vertical surfaces m+/-3mm per 2000mm

FRAME FINISH

---

Natural anodisation, paint (RAL)

THRESHOLD

---

None, aluminium, drop-down seal

HINGES

---

Leaf hinge / latch hinge

LOCK CASE WITH A LEVER

---

Lockable / not lockable

VARIOUS GLASS TYPES AVAILABLE

---

8 mm = Rw 33 dB

10 mm = Rw 33 - 35 dB

12 mm = Rw 36 dB

44.2 SC = Rw 37 dB

66.2 SC = Rw 39 dB

Special glass

EXTRAS

---

Film coating, tinted glass

\*Custom dimensions upon agreement

PRODUCT TYPES

---

	M21			M22 - M23			M24		
	8 mm / 44.2 sc	10 mm	12 mm / 66.2 sc	8 mm / 44.2 sc	10 mm	12 mm / 66.2 sc	8 mm / 44.2 sc	10 mm	12 mm / 66.2 sc
M3 - M8	OK	OK	OK	OK	OK	OK	OK	OK	OK
M9	OK	OK	OK	OK	OK	OK	OK	OK	-
M10	OK	OK	OK	OK	OK	-	OK	OK	-

